

IN THE CLAIMS:

1. (Original) Washing device (18) designed for at least partial cleaning and/or care and/or disinfection of a human foot, with at least one plate-shaped base body (17) and at least one cleaning body (25) connected to the base body (17), the cleaning body (25) being designed for cleaning and/or care and/or disinfection of at least parts of the human foot, and the base body being arranged on the ground.
2. (Original) Washing device according to Claim 1, characterized in that the base body (17) and the cleaning body (25) are connected to one another in a releasable manner.
3. (Currently Amended) Washing device according to Claim 1 [[or 2]], characterized in that the base body (17) can be connected to the ground in a releasable manner and has a substantially non-slip underside.
4. (Currently Amended) Washing device according to ~~claim 3 one of the preceding claims~~, characterized in that the underside of the base body (17) is provided with a large number of securing means for securing the base body (17) to the ground and/or in that the underside has a contour allowing it to be placed on the ground in a manner secure against slipping.
5. (Currently Amended) Washing device according to ~~claim 1 one of the preceding claims~~, characterized in that the base body (17) and/or the cleaning body (25) is elastic or foldable, and in that, preferably, the base body (17) can be folded up together with the cleaning body (25).
6. (Currently Amended) Washing device according to ~~claim 1 one of the preceding claims~~, characterized in that the base body (17) has at least one opening (21) for draining off liquid.

7. (Currently Amended) Washing device according to claim 1 one of the preceding claims, characterized in that the base body (17) has at least one insertion area for the cleaning body (25), the cleaning body (25) being able to be at least partially inserted into the base body (17).

8. (Currently Amended) Washing device according to claim 1 one of the preceding claims, characterized in that the top face of the base body (17) and/or the underside of the cleaning body (25) has a securing surface and/or at least one securing means for securing the base body (17) to the cleaning body (25) in a releasable manner.

9. Washing device according to claim 1 one of the preceding claims, characterized in that the base body (17) and the cleaning body (25) are connected to one another by a catch and/or clip and/or velcro connection and/or in that a securing tape is provided for the connection.

10. Washing device according to claim 1 one of the preceding claims, characterized in that the cleaning body (25) has at least one cleaning means (29) on its top face.

11. Washing device according to claim 10 one of the preceding claims, characterized in that a preferably compressed synthetic netting is provided as cleaning means (29).

12. Washing device according to claim 11 one of the preceding claims, characterized in that the cleaning means (29) is compressed to a length of 1:4 to 1:20, in particular 1:5 to 1:18, and, in the compressed state, is connected fixedly to the cleaning body (25).

13. Washing device according to claim 10 one of the preceding claims, characterized in that the cleaning means (29) and the cleaning body (25) are designed integrally or in one piece, and in that the cleaning means (29) is connected directly to the base body (17).

14. Washing device according to claim 10 one of the preceding claims, characterized in that the top face of the cleaning body (25) is covered only partially with one or more identical and/or different cleaning means and/or in that an indent for at least a part of the foot is formed between two adjacent cleaning bodies (25).

15. Washing device according to claim 10 one of the preceding claims, characterized in that a deep-pile fibre material is provided as cleaning means (29).

16. Washing device according to claim 1 one of the preceding claims, characterized in that a washing strap is provided for cleaning the instep.

17. Washing device according to claim 1 one of the preceding claims, characterized in that a lifting means designed for lifting the washing device (18) from the ground is provided.